Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/012122

International filing date: 11 April 2005 (11.04.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/561,400


Filing date: 12 April 2004 (12.04.2004)

Date of receipt at the International Bureau: 16 September 2005 (16.09.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





'4'(d) Anil (100) Vancoda (na 12812; preus ben'is; salanti, codias:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

September 07, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/561,400

FILING DATE: April 12, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/12122

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

TELEPHONE -

Please type a	plus sig	n (+) inside this	box —	+
. louded type u	P.00 0.9	()		

PTO/SB/16 (5-03) Approved for use through 04/30/2003. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request f	or filing	a PROVISIONA	L APPLIC	ATION FOR PATE	VT unde	er 37 CFR 1.53(c).	<u>~Ö</u>			
INVENTO						<u>0</u>				
Given Name (first and middle [if any])		Family Name or Surname								
STEVEN D. SCOTT J.		KIMMELL GERONDALE		Residence (City and either State or Foreign Country) 12754 DEON PLACE, GRANADA HILLS, CA 91344 12 RISERO DRIVE, MISSION VIEJO, CA 92692			01870			
Additional inventors are be	ng named	on thesepa	rately numbe	ered sheets attached h	ereto					
		TITLE OF THE IN	VENTION (2	80 characters max)						
MULTI-SITE SNAP INJECTION S	YSTEM									
Direct all correspondence to:	ct all correspondence to: CORRESPONDENCE ADDR									
Customer Number		26822	He Busin He William or C2161892 Pere							
OŖ	Type Cust	Type Customer Number here PATENT TRADEMARK OFFICE								
Firm or Individual Name	WALTE	WALTER A. HACKLER, Ph.D.								
Address	2372 S.E	2372 S.E. BRISTOL STREET, SUITE B								
Address			1			_				
City	NEWPO	RT BEACH	State	CALIFORNIA	ZIP	92660-0755				
Country	US		Telephone	(949) 851-5010	Fax	(949) 752-1925				
<u></u>	ENCL	OSED APPLICAT	ION PARTS	(check all that apply	<u>) </u>					
Specification Number of Pages 6 CD(s), Number of Pages										
Drawing(s) Number of Sheets Application Data Sheet. See 37 CFR 1.76				Other (specify)	AS	SIGNMENT; COVER SHEE	Т			
METHOD OF PAYMENT OF FIL	ING FEES	FOR THIS PROV	/ISIONAL AF	PPLICATION FOR PA	TENT (c/	heck one)				
FILING FEE A check or money order is enclosed to cover the filing fees A check or money order is enclosed to cover the filing fees										
The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number:				08-0114		\$160.00				
Payment by credit card. I		····								
The invention was made by an ag United States Government. No. Yes, the name of the U.S. Gove	-				n agency	of the				
Pospostfully submitted					140:000					
Respectfully submitted, SIGNATURE	W			Date	1/12/200					
TYPED or PRINTED NAME WALTER A. HACKLER					RATION priate)					
Docket Number: 3153P										

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



3153

MULTI-SITE SNAP INJECTION SYSTEM

The present invention is generally directed to the administration of a medicament and is more particularly directed to a multi-site injection system for dermal delivery of a medicament.

SUMMARY OF THE INVENTION

10

15

A multi-site injection system in accordance with the present invention generally includes a needle plate and a plurality of hollow needles fixed to an outside of the needle plate, for transport of a medicament from an inside of the needle plate and into a stratum corneum of a user.

A pressurizer is provided and disposed over an inside of the needle plate to form a cavity therebetween in communication with the hollow needles.

20

In addition, an injection port is disposed in the pressurizer for introducing the medicament into the cavity.

More particularly, in accordance with the present invention, the pressurizer is flexible for causing uniform transport of the medicament through the needles.

Accordingly, the pressurizer provides a means for forcing the medicament from the cavity through needle lumens.

Preferably, the medicament comprises botulinum toxin.

BRIEF DESCRIPTION OF THE DRAWINGS

5

The advantages and features of the present invention will be better understood by the following description when considered in conjunction with the accompanying drawings in which:

10

Figure 1 is a perspective view of a multi-site injection system in accordance with the present invention generally showing a needle plate with a plurality of needles projecting therefrom and fixed to an outside surface of the needle plate;

15

20

25

Figure 2 is a perspective view of the multi-site injection system shown in Figure 1 showing a reverse side with a pressurizer disposed over an inside of the needle plate along with an injection port and a pressurized reservoir of medicament interconnected to the port via a tube; and

Figure 3 is a partial cross section of the injection system shown in Figures 1 and 2 illustrating a cavity for and between the pressure plate and an inside surface of the needle plate illustrating medicament flow from the pressure reservoir through the tube into the cavity and through hollow needles for transport of the medicament into a stratum corneum of a user.

DETAILED DESCRIPTION

With reference to Figures 1 and 2, there is shown a multi-site injection system 8 in accordance with the present invention generally including a flexible needle plate 10 having a plurality of hollow needles 12 fixed to an outside surface 16 of the needle plate 10. The needle plate 10 may be formed from any suitable material and the needles may be formed thereinto or affixed thereto in any conventional manner.

As more clearly shown in Figure 2, the system 8 may include a pressurizer 20, which may be in the form of a flexible blatter or the like, for causing uniform pressure across an inside surface 24 of the needle plate 10.

As shown in Figure 3, the pressurizer 20 establishes a cavity 26 between the pressurizer 20 and the inside surface 24 of the needle plate 10.

20

10

As shown in Figure 3, the inside surface 24 of the needle plate 10 may include a separate containment element 28 to facilitate construction of the system 8. Thus, as illustrated the pressurizer 20 provides a means for forcing medicament, which is preferably botulinum toxin from the cavity 26 through needle lumens 32. Spacing and orientation of the needles on the needle plate 10 is determined by the intended use of the needle plate 10 on specific user body parts, not shown.

5

An injection port 34 is preferably interconnected to a pressure reservoir 36 through a tube 40. Control of medicament flow from the pressure reservoir 36 through the tube and into the cavity 26 may be controlled in any conventional manner.

Pressure medicament in the cavity 26 thus forces the medicament into a stratum corneum 42 of a user, not shown.

- 10 Pressure provided by the flexible pressurizer as indicated by the arrows 44, 46 enable uniform flow of medicament as indicated by arrows 48, 50 through the needle lumens 32 as indicated by arrows 52, 54.
- Although there has been hereinabove described a specific 15 multi-site snap injection system in accordance with present invention for the purpose of illustrating the manner in which the invention may be used to advantage, it should be appreciated that the invention is not limited thereto. is, the present invention may suitably comprise, consist of, 20 or consist essentially of the recited elements. Further, the invention illustratively disclosed herein suitably may be practiced in the absence of any element which is not specifically disclosed herein. Accordingly, any and all modifications, variations or equivalent arrangements which may 25 occur to those skilled in the art, should be considered to be within the scope of the present invention as defined in the appended claims.

WHAT IS CLAIMED IS:

- A multi-site injection system comprising:
 - a needle plate;
- a plurality of hollow needles, fixed to an outside of said needle plate, for transport of a medicament from an inside of said needle plate and into a stratum corneum of a user;
- a pressurizer disposed over an inside of said needle

 10 plate to form a cavity therebetween in communication with the
 needles; and
 - an injection port disposed in said pressurizer for introducing the medicament into said cavity.
- 15 2. The system according to claim 1 wherein said pressurizer is flexible for causing uniform transport of the medicament through the needles.
 - 3. A multi-site injection system comprising:
 - a needle plate having an inside and an outside;
 - a pressurizer disposed an the needle plate inside to form a cavity therebetween;
 - a medicament disposed in said cavity;
 - a plurality of needles disposed on the needle plate
 consider each needle having a lumen in fluid communication with
 said cavity for transport of the medicament into a stratum
 corneum of a user; and
 - means for forcing medicament from said cavity through needle lumens.

4. The system according to claim 3 wherein the means for forcing medicament comprises on injection port disposed in said pressurizer.

5

- 5. The system according to claim 4 wherein said pressurizer is flexible for causing transport of the medicament through the needle lumen.
- 10 6. The system according to any one of claims 1-5 wherein said medicament comprises botulinum toxin.

